ELSEVIER

Analytica Chimica Acta 543 (2005) 291–293

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Acar, J., see Gökmen, V. 64
Alegría, A., see Perales, S. 58
Álvarez-Llamas, G., see García-Ruiz, C. 77
Amine, A., see Mohammadi, H. 143
Armenta, S., see Moros, J. 124

Barberá, R., see Perales, S. 58
Basuil-Tobias, D.A., see De León-Rodríguez, L.M. 282
Benavente, F., see Damiani, P.C. 192
Bermejo, E., see Chicharro, M. 84
Blanco, E., see García-Ruiz, C. 77
Bobrowski, A.
—, Nowak, K. and Zarebski, J.
Novel voltammetric methods for vanadium determination by exploitation of catalytic adsorptive vanadium–chloranilic acid–bromate system 150
Bogdanova, T.F., see Kornakova, T.A. 177

Chang, W.-B., see Ding, L. 249
Chapin, T.P.
— and Wanty, R.B.
Development of a solenoid pumped in situ zinc analyzer for environmental monitoring 199
Cheng, G.-W., see Tseng, W.-C. 38
Chicharro, M.
—, Sánchez, A., Bermejo, E., Zapardiel, A., Rubianes, M.D. and Rivas, G.A.
Carbon nanotubes paste electrodes as new detectors for capillary electrophoresis 84
Chow, E.
—, Hibbert, D.B. and Gooding, J.J.
Electrochemical detection of lead ions via the covalent attachment of human angiotensin I to mercaptopropionic acid and thioctic acid self-assembled monolayers 167
Cosnier, S., see Mohammadi, H. 143

Damiani, P.C.
—, Moschetti, A.C., Rovetto, A.J., Benavente, F. and Olivieri, A.C.
Design and optimization of a chemometrics-assisted spectrophotometric method for the simultaneous determination of levodopa and carbidopa in pharmaceutical products 192
Dams, R., see Melaku, S. 117
de la Guardia, M., see Moros, J. 124
De León-Rodríguez, L.M.
— and Basuil-Tobias, D.A.
Testing the possibility of using UV–vis spectrophotometric techniques to determine non-absorbing analytes by inclusion complex competition in cyclodextrins 282
Delgado, M.M., see Perales, S. 58
Deng, H.-L., see Du, X.-Z. 9
Derendyaev, B.G., see Kornakova, T.A. 177
Dicinoski, G., see Vachirapatama, N. 70

Ding, L.
—, Zhang, X.-X., Chang, W.-B., Lin, W. and Yang, M.
Studies of binding constants and interaction of drugs to *trans*-activation response RNA by capillary electrophoresis 249
Du, X.-Z.
—, Wang, Y.-R., Tao, X.-J. and Deng, H.-L.
An approach to application of mesoporous hybrid as a fiber coating of solid-phase microextraction 9

Esparza, I.
—, Salinas, Í., Santamaría, C., García-Mina, J.M. and Fernández, J.M.
Electrochemical and theoretical complexation studies for Zn and Cu with individual polyphenols 267

Fan, Y.
—, Feng, Y.-Q., Shi, Z.-G. and Wang, J.-B.
Ordered mesoporous silica coated capillary for in-tube solid phase microextraction coupled to high performance liquid chromatography 1
Fang, K.-T., see He, P. 181
Farré, R., see Perales, S. 58
Feng, Y.-Q., see Fan, Y. 1
Fernández, J.M., see Esparza, I. 267
Fleurial, J.-P., see Shevade, A.V. 242

Gaál, K., see Teszlák, P. 275
Gao, Y.
—, Lin, F.Y.H., Hu, G., Sherman, P.M. and Li, D.
Development of a novel electrokinetically driven microfluidic immunoassay for the detection of *Helicobacter pylori* 109
García-Mina, J.M., see Esparza, I. 267
García-Ruiz, C.
—, Álvarez-Llamas, G., Puerta, Á., Blanco, E., Sanz-Medel, A. and Marina, M.L.
Enantiomeric separation of organophosphorus pesticides by capillary electrophoresis. Application to the determination of malathion in water samples after preconcentration by off-line solid-phase extraction 77
Garrigues, S., see Moros, J. 124
Gökmen, V.
—, Acar, J. and Sarioğlu, K.
Liquid chromatographic method for the determination of patulin in apple juice using solid-phase extraction 64
Gooding, J.J., see Chow, E. 167

Haddad, P.R., see Vachirapatama, N. 70
Harper, S.L., see Rogers, K.R. 229
Hattori, K., see Saitoh, T. 25
He, P.
—, Fang, K.-T., Liang, Y.-Z. and Li, B.-Y.
A generalized boosting algorithm and its application to two-class chemical classification problem 181
Hempen, C.
—, Liesener, A. and Karst, U.

doi:10.1016/S0003-2670(05)00929-3

Fluorescence and mass spectrometric detection schemes for simultaneous enzymatic conversions: Method development and comparison 137
Hibbert, D.B., see Chow, E. 167
Hiraide, M., see Saitoh, T. 25
Homer, M.L., see Shevade, A.V. 242
Hu, G., see Gao, Y. 109
Hu, Y., see Lee, J.S.H. 99
Hu, Y.
—, Yang, Y., Huang, J. and Li, G.
Preparation and application of poly(dimethylsiloxane)/β-cyclodextrin solid-phase microextraction membrane 17
Huang, J., see Hu, Y. 17
Huang, Y.-L., see Tseng, W.-C. 38

Jirakiattikul, Y., see Vachirapatama, N. 70

Karst, U., see Hempen, C. 137
Kawamura, K.
—, A new probe for the indirect measurement of the conformation and interaction of biopolymers at extremely high temperatures using a capillary flow hydrothermal reactor system for UV–vis spectrophotometry 236
Kimura, T., see Sasaki, Y. 31
Kisor, A.K., see Shevade, A.V. 242
Kornakova, T.A.
—, Bogdanova, T.F., Derendyaev, B.G. and Piottukh-Peletsky, V.N.
Estimating the degree of similarity overlap for structural data in spectral databases 177
Kot-Wasik, A.
— and Wasik, A.
Determination of robenidine in animal feeds by liquid chromatography coupled with diode-array detection and mass spectrometry after accelerated solvent extraction 46
Kuningas, K.
—, Rantanen, T., Lövgren, T. and Soukka, T.
Enhanced photoluminescence of up-converting phosphors in a solid phase bioaffinity assay 130

Langmaier, J.
— and Lindner, E.
Detrimental changes in the composition of hydrogen ion-selective electrode and optode membranes 156
Le Fèvre, B.
— and Pin, C.
A straightforward separation scheme for concomitant Lu–Hf and Sm–Nd isotope ratio and isotope dilution analysis 209
Lee, C.-F., see Tseng, W.-C. 38
Lee, J.S.H.
—, Hu, Y. and Li, D.
Electrokinetic concentration gradient generation using a converging–diverging microchannel 99
Li, B.-Y., see He, P. 181
Li, D., see Gao, Y. 109
Li, D., see Lee, J.S.H. 99
Li, G., see Hu, Y. 17
Liang, Y.-Z., see He, P. 181
Liesener, A., see Hempen, C. 137
Lin, B., see Shevade, A.V. 242
Lin, F.Y.H., see Gao, Y. 109
Lin, W., see Ding, L. 249
Lindner, E., see Langmaier, J. 156
Lövgren, T., see Kuningas, K. 130
Luo, L.
—, Zhang, Z. and Ma, L.
A design of reaction-controlled chemiluminescence imaging and its application 222

Ma, L., see Luo, L. 222
Manatt, K.S., see Shevade, A.V. 242
Manfreda, A.M., see Shevade, A.V. 242
Marina, M.L., see García-Ruiz, C. 77
Melaku, S.
—, Dams, R. and Moens, L.
Determination of trace elements in agricultural soil samples by inductively coupled plasma-mass spectrometry: Microwave acid digestion versus aqua regia extraction 117
Meloun, M.
—, Syrovy, T. and Vrana, A.
The thermodynamic dissociation constants of haemanthamine, lisuride, metergoline and nicergoline by the regression analysis of spectrophotometric data 254
Mitra, S., see Wang, X. 92
Moens, L., see Melaku, S. 117
Mohammadi, H.
—, Amine, A., Cosnier, S. and Mousty, C.
Mercury–enzyme inhibition assays with an amperometric sucrose biosensor based on a trienzymatic-clay matrix 143
Moros, J.
—, Armenta, S., Garrigues, S. and de la Guardia, M.
Near infrared determination of Diuron in pesticide formulations 124
Moschetti, A.C., see Damiani, P.C. 192
Mousty, C., see Mohammadi, H. 143

Nowak, K., see Bobrowski, A. 150

Olivieri, A.C., see Damiani, P.C. 192

Perales, S.
—, Delgado, M.M., Alegría, A., Barberá, R. and Farré, R.
Liquid chromatographic determination of Vitamin D_3 in infant formulas and fortified milk 58
Pin, C., see Le Fèvre, B. 209
Piottukh-Peletsky, V.N., see Kornakova, T.A. 177
Pour Nikfardjam, M.S., see Teszlák, P. 275
Puerta, Á., see García-Ruiz, C. 77

Rantanen, T., see Kuningas, K. 130
Rivas, G.A., see Chicharro, M. 84
Robertson, G., see Rogers, K.R. 229
Rogers, K.R.
—, Harper, S.L. and Robertson, G.
Screening for toxic industrial chemicals using semipermeable membrane devices with rapid toxicity assays 229
Rovetto, A.J., see Damiani, P.C. 192
Rubianes, M.D., see Chicharro, M. 84
Ryan, M.A., see Shevade, A.V. 242

Saitoh, T.
—, Hattori, K. and Hiraide, M.
Aerosol-OT micelles in Sephadex gels for concentrating metal-dithizone chelates from water 25
Salinas, Í., see Esparza, I. 267
Sánchez, A., see Chicharro, M. 84
Santamaría, C., see Esparza, I. 267
Sanz-Medel, A., see García-Ruiz, C. 77
Saridara, C., see Wang, X. 92
Sarioğlu, K., see Gökmen, V. 64
Sasaki, Y.
—, Sugo, Y., Suzuki, S. and Kimura, T.
A method for the determination of extraction capacity and its application to *N,N,N′,N′*-tetraalkylderivatives of diglycolamide-monoamide/n-dodecane media 31
Sherman, P.M., see Gao, Y. 109

Shevade, A.V.
—, Ryan, M.A., Homer, M.L., Kisor, A.K., Manatt, K.S., Lin, B., Fleurial, J.-P., Manfreda, A.M. and Yen, S.-P.S.
Calorimetric measurements of heat of sorption in polymer films: A molecular modeling and experimental study 242
Shi, Z.-G., see Fan, Y. 1
Soukka, T., see Kuningas, K. 130
Sugo, Y., see Sasaki, Y. 31
Suzuki, S., see Sasaki, Y. 31
Syrovy, T., see Meloun, M. 254

Tao, X.-J., see Du, X.-Z. 9
Teszlák, P.
—, Gaál, K. and Pour Nikfardjam, M.S.
Influence of grapevine flower treatment with gibberellic acid (GA_3) on polyphenol content of *Vitis vinifera* L. wine 275
Townsend, A.T., see Vachirapatama, N. 70
Tseng, W.-C.
—, Cheng, G.-W., Lee, C.-F., Wu, H.-L. and Huang, Y.-L.
On-line coupling of microdialysis sampling with high performance liquid chromatography and hydride generation atomic absorption spectrometry for continuous in vivo monitoring of arsenic species in the blood of living rabbits 38

Vachirapatama, N.
—, Jirakiattikul, Y., Dicinoski, G., Townsend, A.T. and Haddad, P.R.
On-line preconcentration and sample clean-up system for the determination of vanadium as a 4-(2-pyridylazo) resorcinol–hydrogen peroxide ternary complex in plant tissues by ion-interaction high performance liquid chromatography 70
Vrana, A., see Meloun, M. 254

Wang, J.-B., see Fan, Y. 1
Wang, X.
—, Saridara, C. and Mitra, S.
Microfluidic supported liquid membrane extraction 92
Wang, Y.-R., see Du, X.-Z. 9
Wanty, R.B., see Chapin, T.P. 199
Wasik, A., see Kot-Wasik, A. 46
Wu, H.-L., see Tseng, W.-C. 38

Yang, M., see Ding, L. 249
Yang, Y., see Hu, Y. 17
Yen, S.-P.S., see Shevade, A.V. 242

Zapardiel, A., see Chicharro, M. 84
Zarebski, J., see Bobrowski, A. 150
Zhang, L., see Zhang, L. 52
Zhang, L.
—, Zhang, L., Zhang, W. and Zhang, Y.
Analysis of phenols by high-performance liquid chromatography with pre-column derivatization by 2-(9-carbazole)-ethyl-chloroformate 52
Zhang, W., see Zhang, L. 52
Zhang, X.-X., see Ding, L. 249
Zhang, Y., see Zhang, L. 52
Zhang, Z., see Luo, L. 222